

Items missing on the Commodity List

1. Office Security Equip.
2. minor bookbinding
Equip.
3. Communication Equip
4. Lighting Equip.

FISCAL YEAR 1957 - COMMODITY LIST
Project 030-77-080

| <u>Code</u> | <u>Item No.</u> | <u>Quantity</u> | <u>Unit</u> | <u>Description</u> |
|-------------|-----------------|-----------------|--------------------|---|
| 390 | 1 | 25 | gals. | Ditto Direct Process Fluid |
| 390 | 2 | 12 | lb. cans | Ditto cream soap |
| 390 | 3 | 4 | 3 bottle cartons | Ditto type and platen cleaners |
| 390 | 4 | 20 | cases of 6 bottles | Remington-Rand Transcopy concentrated processing solution, G-40.6 - One quart size |
| 591 | 5 | 4000 | each | Folders, manila, legal size (14 $\frac{7}{8}$ " wide x 10" high), Remington-Rand, Remtex, Heavy 9-10 pts. reinforced, catalog no. 52381R. |
| 591 | 6 | 4000 | each | Folders, manila, letter size, (11 $\frac{3}{4}$ " wide x 10" high) Remington-Rand, Remtex, Heavy 9-10 pts. reinforced, Catalog no. 5038R. |
| 591 | 7 | 100 sets | 150 units | Filing drawer dividers, Remington-Rand, Complete Varidex Set, Armorclad Guides with rod projection for standard heights units; Division A-Z, 150 breakdown legal size (14 $\frac{7}{8}$ " wide x 10 $\frac{1}{8}$ " high), Catalog No. 622-150. |
| 591 | 8 | 100 sets | 150 units | Filing drawer dividers; Remington-Rand, Complete Varidex set Armorclad Guides with rod projection for standard height units; Division A-Z, 150 breakdown, letter size (11 $\frac{3}{4}$ " wide x 10 $\frac{1}{8}$ " high) Catalog No. 602-150. |
| 591 | 9 | 50 | boxes | Ditto Masterset-combination master and carbon; Royal Masterset; size 8 $\frac{1}{2}$ " x 11" (purple) |
| 591 | 10 | 25 | boxes | Ditto Masterset-Combination masters and carbon; Royal masterset; size 8 $\frac{1}{2}$ " x 14" (purple) |

| <u>Code</u> | <u>Item No.</u> | <u>Quantity</u> | <u>Unit</u> | <u>Description</u> |
|-------------|-----------------|-----------------|--------------|--|
| 591 | 11 | 50 | reams | Ditto paper (direct processing); size 8 $\frac{1}{2}$ " x 11". |
| 591 | 12 | 20 | reams | Ditto paper (direct processing); size 8 $\frac{1}{2}$ " x 14". |
| 591 | 13 | 5 | boxes of 500 | Kardex cards, Remington-Rand, buff; 8" x 5 $\frac{1}{4}$ ", code no. 1-0166; stock no. 31-21563; with stub. |
| 680 | 14 | 20 | boxes of 250 | Addressograph metal plates and holders; 5 lines of print |
| 680 | 15 | 10 | each | Remington-Rand Safe-File 60. Catalog No. 8134.1; four drawers with rail type follower block; legal size; outside dimensions 20 $\frac{1}{4}$ " x 53 $\frac{3}{4}$ " high x 29 13/16" deep. Safe-Cabinet Laboratory and S.M.N.A. 1 hour label. Manipulation-proof combination lock installed on second drawer to control all drawers. Stationary base (no casters). Gray-Rite finish. |
| 680 | 16 | 20 | each | Remington-Rand 4-drawer Legal File Aristocrat IV. Outside dimensions 51" x 28"; Catalog No. 24214.4; Follower-net filing depth 26 $\frac{1}{2}$ "; Gray Rite finish |
| 680 | 17 | 20 | each | Remington-Rand 4-drawer Letter File Aristocrat IV. Outside dimensions 51" x 28"; Catalog No. 24014.4; follower-net filing depth 26 $\frac{1}{2}$ "; Gray Rite finish |
| 680 | 18 | 10 | each | Remington-Rand Standard Kardex 8" wide slide; "C" depth for 8" x 5" cards; 20 slides (drawers); cabinet height 25 $\frac{1}{4}$ "; number of pockets 1260; catalog no. C8520; Gray-Rite finish. |
| 680 | 19 | 1 | each | Humidified Film Storage Cabinet-Remington-Rand Aristocrat; Catalog No. 26140FR Standard model; Outside dimensions 58 5/16" high x 21 11/16" wide x 28" deep; Gray-Rite finish. |

| <u>Code</u> | <u>Item No.</u> | <u>Quantity</u> | <u>Unit</u> | <u>Description</u> |
|-------------|-----------------|-----------------|-------------|---|
| 680 | 20 | 12 | each | Yowman and Erbe Style-Master Conference Top Desk (No. 6789-11-OTA); dimensions 78" wide x 39" deep x 29" high adjustable to 30 $\frac{1}{4}$ "; Top overhangs 9" at side and back; color No. 642, Neutra-Tone Gray. |
| 680 | 21 | 12 | each | Yowman and Erbe (Steel Chairs by Harter) Executive Armchair. The President; model 700; seat 21 $\frac{3}{4}$ " wide x 20" deep; back 19" wide x 17" high x 4" thick; arms 3 $\frac{1}{4}$ " wide x 20" spread; color 642, Neutra-Tone Gray; upholstering-flat weave mohair frieze fabric harmonizing with gray. |
| 680 | 22 | 6 | each | Yowman and Erbe Secretarial Desk Elevator Type. Model No. 7600-14 (1 card, 1 letter and elevator); table top 60" x 30"; adjustable height 29" to 30 $\frac{1}{4}$ "; right elevator; color Neutra-Tone Gray. |
| 680 | 23 | 6 | each | Yowman and Erbe Secretarial Desk Elevator Type. Model No. 7600-14 (1 card, 1 letter and elevator) table top 60" x 30"; adjustable height, 29" to 30 $\frac{1}{4}$ "; left elevator; color Neutra-Tone Gray. |
| 680 | 24 | 12 | each | Yowman and Erbe (Steel chairs by Harter). The Comfit Line; stock No. 57R Comfit Typist chair; seat 16 $\frac{1}{4}$ " wide (height adjustable 18" x 22") x 14" deep x 3 $\frac{1}{2}$ " thick; back 13 $\frac{1}{2}$ " wide x 8 $\frac{3}{4}$ " high; shipping weight 34 lbs. |
| 680 | 25 | 30 | feet | Ames Freestanding Library Shelving; 2 only 3D2E 1068 and 1 only 4D2E 1068; color-warm gray. |
| 720 | 26 | 2 | each | Portagraph Transcopy, Lumo-print, Dr. Böger K.G., Hamburg 13, Germany-made exclusively for Remington-Rand, Inc.; Model No. E876490. |

| <u>Code</u> | <u>Item No.</u> | <u>Quantity</u> | <u>Unit</u> | <u>Description</u> |
|-------------|-----------------|-----------------|-------------|---|
| 720 | 27 | 2 | each | Portagraph-Remington-Rand Inc. (Photographic Records Division); rated 265 watts; 2.3 amperes; operated on 115 volts, 60 cycle; catalog no. G10.3AC. |
| 720 | 28 | 1 | each | The Secretary Copying Machine-Thermofax Duplicating Product-Model No. 17H; 110 volts AC, 60 cycles, 15 amperes. |
| 720 | 29 | 1 | each | Tape recorder and playback; dual track record, playback and erase heads. Speed $7\frac{1}{2}$ " or $3\frac{3}{4}$ " and $7\frac{1}{2}$ ". Frequency range at $7\frac{1}{2}$ " to be not less than 50 to 10,000 cps. Playback output of approximately 10 watts required. Recorder and preamplifier may be a separate unit from power amplifier and speaker. All equipment to be mounted in portable case or cases. Also to include wide range dynamic, low-impedance, omnidirectional microphone--range approximately 40 to 12,000 cps., micro. transformer and 25 ft. of shielded cable. Micro., transformer and cable to be assembled with matching input plug. Table type stand to be supplied with microphone with necessary adapter. Pick-up, telephone, high impedance coil magnetic type. For use with standard cradle type cones with necessity of connections. Tape, mylar-type, extended play; 1800 ft. per 7" reel. |
| 780 | 30 | 2 | each | Ditto-Automatic Electric Duplicator (for standing operation) copying surface 14D-44-14 x $17\frac{5}{8}$ " (auto feed); accomodates paper 14D-44- $14\frac{1}{2}$ " x 18" (auto feed); dimensions with cabinet 14D-44 height 48" x width 23" x length 33"; weight 14D-44 - 170 pounds. |

| <u>Code</u> | <u>Item No.</u> | <u>Quantity</u> | <u>Unit</u> | <u>Description</u> |
|-------------|-----------------|-----------------|-------------|---|
| 780 | 31 | 2 | each | The Dictaphone Time-Master Combination Unit; telephone recording model; built in loudspeaker; selector switch for private or group playback; (indication slips and Dictabelt); 50-60 cycle, 105-125 volts. Magic Ear foot control with continuous backspacing and indication system for transcribing. |
| 780 | 32 | 2 | each | Monroe Adding-Calculator; automatic model series 6 N; item no. 54-M-16228; Monroe model no. 6 N-212; grey finish. |
| 780 | 33 | 4 | each | Monroe Adding Machine Series 600 Electric; item no. 54-M-4796-550; model no. 611-11-011; gray finish. |
| 780 | 34 | 4 | each | Reproducing machine, stencil type, electric operated. Current 110-120 volts; 50 cycles. To include metal floor type stand. |
| 780 | 35 | 1 | each | Addressing machine including equipment for production of stencils or plates and apparatus for reproduction. To include floor type stand. Also manufacturer's suggested spare parts, not to exceed 10% of value of each set of equipment. |
| 780 | 36 | 6 | each | Typewriters, elite type mechanical operation. To have margin tabulation and pressure controls; approximately 14" wide carriage; equipment to be equal to standard office type Royal, Underwood, Smith-Corona, Remington-Rand, etc. Vietnamese-character keyboard. |
| 780 | 37 | 4 | each | Typewriters, elite type mechanical operation. To have margin tabulation and pressure controls; approximately 14" wide carriage. Equipment to be equal to standard office type Royal, Underwood, Smith-Corona, Remington-Rand, etc. French character keyboard. |

| <u>Code</u> | <u>Item No.</u> | <u>Quantity</u> | <u>Unit</u> | <u>Description</u> |
|-------------|-----------------|-----------------|--------------|---|
| 780 | 38 | 2 | each | Typewriters, elite type mechanical operation. To have margin tabulation and pressure controls; approximately 14" wide carriage, equipment to be equal to standard office type Royal, Underwood, Smith-Corona, Remington-Rand, etc. American character keyboard. |
| 890 | 39 | 1 | each | Microfilm reader-Griscombe Product Inc., model F-72; voltage 115, watts 100, frequency 50-60. |
| 890 | 40 | 5 | each | Thermo-Fax carrier 14"; part no. 100-171. |
| 890 | 41 | 25 | ribbons | Ditto Ribbons; color purple fully inked ribbons. |
| 890 | 42 | 25 | ribbons | addressograph fully inked; color black. |
| 890 | 43 | 8 | boxes of 250 | Remington-Rand Transcopy Sensitized paper for reproduction purposes. Negative paper G351, regular weight stock; size 8½" x 11". |
| 890 | 44 | 8 | boxes of 250 | Remington-Rand Unsensitized Paper for reproduction purposes. Transcopy positive G451; size 8½" x 11". |
| 890 | 45 | 10 | boxes of 500 | Thermo-Fax paper; type CA-2 buff; size 8½" x 14", legal. |
| 890 | 46 | 20 | boxes of 500 | Thermo-Fax paper; type CA-2 buff; size 8½" x 11", letter. |
| 890 | 47 | 100 | pads | Dictaphone Indication slips. |
| 890 | 48 | 20 | boxes | Dictaphone dictabelts. |

Wt. of chair
44 cm. 96 lb. floor - seat

electricity
function
(all wires etc)

top: width: 20 inches
length: 45 inches
height: 2 - 30 inches
6 - 29 "
6 - 28 "
4 - 27 "
2 - 26 "
20 inches

